

MQ MULTIQUIP **Core Drilling Equipment**



Heavy-Duty Tools to Tackle All Your Core Drilling Jobs.

www.multiquip.com



Hand-Held Core Drill

CDM1H COBRA® Drilling System

The **CDM1H** is a value packed hand-held electric drill specifically designed to tackle multiple hole drilling applications. The unit operates at 110V/13A, generates 2,200 RPM, and provides slip clutch and overload protection. The High RPM system specifically supports the COBRA BIT Series (1" thru 5" dia.) for DRY drilling of Cured Concrete and hard Masonry. Supports WET Core Bits (up to 3" dia.). "Included is a Water Kit that supports WET Drilling."



Kit Includes:

- * Drill w/ convenient Shoulder Rest
- * Water Kit
- * Bit Wrenches
- * Adapter - M18F to 5/8"-11
- * Adapter - M18F to 1-1/4"-7
- * Plastic Carrying Case



Drill Rig Series - CDM2CSA

Complete Drill Rigs are ordered by Individual Components



Model No.

Features

CDM2CSA

Mini Angle Base Combo Stand
2" Square Column w/Carriage
Column Height - 36"
Bit Capacity - 9" Diameter
Total Wt. w/Motor - 62 lbs.

DM15A9C

Drill Motor, 120V/15A 60 Hz
Integrated ON/OFF Switch
2-Speed 600/1,200 RPM
Thread Size 1 1/4"-7 Male

CDMVP

Vacuum Pump w/Fittings
120V 60 Hz



Drill Rig Series - CDM3CS - 3 RIGS

Complete Drill Rigs are ordered by Individual Components

There are three RIG Options

RIG Option 1

- CDM3CS** Combo Stand - 42" Column
2 1/2" Square Column
w/Carriage
Bit Capacity - 6" Diameter
Bit Capacity - 9" w/Spacer.
- DM15A9C** Drill Motor, 120V/15A 60 Hz
Integrated ON/OFF Switch
2-Speed 600/1,200 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3SP** Spacer Block, for 12" Dia. Bits



*Shown
w/ Milwaukee Motor
and Vacuum Pump*



RIG Option 2

- CDM3CS** 90° Combo Stand
2 1/2" Square Column
w/Carriage
Column Height - 42"
Bit Capacity - 10" Diameter
Bit Capacity - 12" w/Spacer
- DM4094** Drill Motor, 120V/20A 60 Hz
Shear Pin
2-Speed 450/900 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3CP** Control Panel, 120V
For Milwaukee Motors
- CDM3SP** Spacer Block, for 12" Dia. Bits



RIG Option 3

- CDM3CS** 90° Combo Stand
2 1/2" Square Column
w/Carriage
Column Height - 42"
Bit Capacity - 10" Diameter
Bit Capacity - 12" w/Spacer
- DM4096** Drill Motor, 120V/20A 60 Hz
Slip Clutch
2-Speed 450/900 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3CP** Control Panel, 120V
For Milwaukee Motors
- CDM3SP** Spacer Block, for 12" Dia. Bits



Drill Rig Series - CDM3CS - 3 RIGS

Complete Drill Rig are ordered by Individual Components
There are three RIG Options

RIG Option 1

- CDM3CSA** Combo Stand - Angle Mast
42" x 2 1/2" Square Column
w/Carriage
Bit Capacity - 6" Diameter
Bit Capacity - 9" w/Spacer.
- DM15A9C** Drill Motor, 120V/15A 60 Hz
Integrated ON/OFF Switch
2-Speed 600/1,200 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3SP** Spacer Block, for 12" Dia. Bits



*Shown
w/ Milwaukee Motor
and Vacuum Pump*



© COPYRIGHT 2011, MULTIQUIP INC.

RIG Option 2

- CDM3CSA** Combo Stand - Angle Mast
42" x 2 1/2" Square Column
w/Carriage
Column Height - 42"
Bit Capacity - 10" Diameter
Bit Capacity - 12" w/Spacer
- DM4094** Drill Motor, 120V/20A 60 Hz
Shear Pin
2-Speed 450/900 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3CP** Control Panel, 120V
For Milwaukee Motors
- CDM3SP** Spacer Block, for 12" Dia. Bits



RIG Option 3

- CDM3CSA** Combo Stand - Angle Mast
42" x 2 1/2" Square Column
w/Carriage
Column Height - 42"
Bit Capacity - 10" Diameter
Bit Capacity - 12" w/Spacer
- DM4096** Drill Motor, 120V/20A 60 Hz
Slip Clutch
2-Speed 450/900 RPM
Thread Size 1 1/4"-7 Male
- CDMVP** Vacuum Pump w/Fittings
120V 60 Hz
- CDM3CP** Control Panel, 120V
For Milwaukee Motors
- CDM3SP** Spacer Block, for 12" Dia. Bits

