



**MULTIQUIP**



# EZ Grout Masonry Accessories



**Experience the EZ Grout Advantage**

**Construction Starts Here**

[www.multiquip.com](http://www.multiquip.com)



# EZ Grout Masonry Accessories

Since 1998, EZ Grout has been a leading equipment manufacturer to the masonry and concrete construction markets. EZ Grout products,

well known for groundbreaking, labor-friendly designs and high quality standards, are in use nationwide and abroad.

## Booger Hog™ Masonry Wall Scrubber



Model BOHO



- **Booger Hog® can do the work of 4 to 5 men** — save money on decreased punch out time with less labor
- **Quicker, easier wall cleanup**
- **Disc Guard** allows better cleaning around corners and door frames
- **Includes 5.5A Milwaukee Drill**
- **Weighs just 22 lb. (10 kg) including disc**
- **5/16" (.79 cm) diameter steel drive shaft**
- **Tight fitting aluminum disc guard** allows better cleaning around corners and door frames
- **Durable** — pivot on head with self-lubricating bronze bushings and a felt seal; swivel has a grease fitting for lubrication and rubber lip seal.
- **Easy to service** — two grease fittings; drill motor is easily replaced if required. Motor brushes on drill are accessible without disassembly.



## Hog Slopper™ Metering System Attachment



Eliminates guessing based on shovel size or miscounts



Save thousands on labor by no shoveling

### PREMEASURES YOUR MATERIALS FOR CONSISTENT MIX DESIGN

- **Premeasures the amount of sand** to put in mortar mix (or peagravel and sand if you are mixing grout)
- **Eliminates guessing** based on shovel size or miscounts
- **Delivers 69 shovels in seconds** — enough sand for three bags of mortar or cement
- **Insures consistency of workable mortar** for improved production
- **Helps avoid back strain**
- **Improves batch time** — while mortar is mixing, Hog Slopper™ is filled and ready for next batch
- **Keeps sand pile away from mixer**
- **Adjustable from 6 3/4 cu. ft. (.19 cu. m) to 9 cu. ft (.25 cu. m) of sand**
- **Available with fork pockets or universal skid steer mount**

# Poly Hog Trough®

- 10 cu. ft. (.28 cu. m) capacity
- Made of tough nonstick polyethylene — resists dents or damage; can be cleaned in minutes
- Will not crack in cold weather
- Steel legs for use without pallets; casters and crane hoist options available
- One year warranty
- Lightweight, only 60 lbs. (27.2 kg); weight with wheels — 82 lbs. (37.2 kg); weight with crane options — 110 lbs. (49.8 kg)



*Shown here with optional wheels*



*Shown with optional HTP10C-A-1 Crane Bail Assembly with Clevis (straps not included)*



*Large 10 cu. ft. capacity*

*Steel legs, no pallets needed*

# Hog Cart™

## Easy movement of block or grout



- Use with Hog Trough (sold separately) or for transporting masonry block
- Eliminates the need for wheels on your mudpan
- No more broken wheels on your mud pans
- Forklift pockets
- 3,000 lb. (1,361 kg) capacity
- Safety brakes
- Constructed with durable, high quality wheels
- Built to withstand the rugged jobsite
- Corner pockets allow 2" x 4" (5.08 cm x 10.16 cm) handles to be used

**Efficiency goes one step further!**



# EZ Grout Masonry Accessories – Specifications

## Booger Hog Masonry Wall Scrubber

<b>Model</b>	<b>BOHO</b>
<b>Machine Weight</b>	22 lb. (10 kg) [Shipping weight: 25 lb. (11.3 kg)]
<b>Dimensions LxWxH in. (cm)</b>	63.5 x 15 x 13 (161 x 38 x 33)
<b>Power</b>	110V, 1Ø, 5.5 amp
<b>Grinding Disc</b>	7 inch diameter, diamond

## Poly Hog Trough *Optional Attachment: HTP10C-A-A — Crane Ball Assembly with Clevis (lifting straps not included)*

<b>Model</b>	<b>HTP10</b>	<b>HTP10W</b>	<b>HTP10C</b>
<b>Description</b>	Poly Hog Trough	Poly Hog Trough with Wheels	Poly Hog Trough with Crane Bail
<b>Capacity ft.<sup>3</sup></b>	10	10	10
<b>Max. Weight Capacity lb.</b>	3000	3000	3000
<b>Dimensions LxWxH in.</b>	57 x 28 x 24	57 x 28 x 29	62 x 28 x 24
<b>Weight lb. (kg)</b>	60 (27.2)	82 (37.2)	110 (49.8)

## Hog Cart

<b>Model</b>	<b>HC</b>
<b>Max. Weight Capacity lb.</b>	3000
<b>Dimensions LxWxH in.</b>	61 x 26.5 x 13
<b>Weight lb. (kg)</b>	230 (104.3)

## Hog Sloppler

<b>Model</b>	<b>SHB</b>	<b>SHF</b>
<b>Application</b>	Skid Steer	Forklift
<b>Capacity Range – Sand ft.<sup>3</sup> (m<sup>3</sup>)</b>	Adjustable from 6¾ to 9 (0.19 to 0.25)	Adjustable from 6¾ to 9 (0.19 to 0.25)
<b>Dimensions LxWxH in.</b>	41 x 36 x 24	29 x 32 x 21
<b>Weight lb. (kg)</b>	260 (117.9)	280 (126.9)

Your Multiquip dealer is:



**MULTIQUIP INC.**  
 POST OFFICE BOX 6254  
 CARSON, CA 90749  
 310-537-3700 • 800-421-1244  
 FAX: 310-537-3927  
 E-MAIL: mq@multiquip.com  
 www.multiquip.com